



SOCIO-ECONOMIC ANALYSIS

Of the impacts of non-renewal of Lead (Pb) exemption for test & measurement industrial type products (Category 9) Exemption 6(b) – Annex III

SUBSTANCE: Lead (Pb)

CAS: 7439-92-1

FROM: Test & Measurement Coalition (TMC)

INTENDED USE: as an alloying element in aluminium containing up to 0,4 % lead by weight

DATE: 20 January 2023

PREPARED BY:

EPPA SA/NV

Place du Luxembourg 2

1050 Brussels, Belgium

EU Transparency Register: 31367501249-92

SOCIO-ECONOMIC ANALYSIS

Of the impacts of non-renewal of Lead (Pb) exemption for test & measurement industrial type products (Category 9)

Exemption 6(b) – Annex III

PROJECT TITLE:

Socio-economic analysis of the impacts of non-renewal of Lead (Pb) exemption for the test & measurement industrial type products category 9, Exemption 6(b) – Annex III

VERSION:

20 January 2023

PREPARED FOR:

Test & Measurement Coalition (TMC)

PERFORMED BY:

EPPA: Jonathan Blanckaert, Rudy Colacicco, Giacomo Miele, Meglena Mihova, Tobias Steinbrecher, Karin Steiner, Julius Waller

CITATION:

EPPA, 'Socio-economic analysis of the impacts of non-renewal of the Lead (Pb) exemption for the test & measurement industrial type products category 9, Exemption 6(b) – Annex III', Report for T&M Coalition, January 2023

DISCLAIMER:

The views expressed in this report are, unless otherwise stated, those of the authors and do not necessarily represent any official view of TMC and/or any other organization mentioned in this report.

CONTENTS

Contents.....	3
ABBREVIATIONS	4
1. SUMMARY OF SOCIO-ECONOMIC ANALYSIS.....	5
2. AIMS AND SCOPE OF THE SEA.....	7
2.1 Purpose, scope and methodology of SEA	7
2.2 Overview of industrial test and measurement instruments and their value chain	8
3. ANALYSIS OF ALTERNATIVES.....	10
3.1 Function and technical performance of Lead (Pb) and Pb-based industrial type 9 products	10
3.2 Typical Industrial Test and Measurement End-to-End Life Cycle	11
3.3 Assessment of potential alternatives to lead (Pb)	12
3.3.1 Assessment of the technical performance of alternatives vs lead	13
3.3.2 Challenges with substitution with alternatives	13
3.3.3 Substitution plan.....	14
3.4 Overall conclusion on suitability and availability of alternatives	16
4. ANALYSIS OF IMPACTS	18
4.1 Human health and environmental impacts	18
4.1.1 Reduction in the quantity of lead (Pb) placed on the EEA market	18
4.1.2 Additional waste in case of a non-compliant stock.....	19
4.2 Economic impacts	19
4.2.1 Business impacts on manufacturers	19
4.3 Wider economic impacts	23
4.4 Social impacts: unemployment	26
5. CONCLUSION.....	29
4. APPENDIX I.....	30

ABBREVIATIONS

- B2B:** Business-to-Business
- CAGR:** Compound Annual Growth Rate
- CAR:** Competent Authority Report
- COTS:** Commercial Off-The-Shelf
- EBIT:** Earnings Before Interest and Taxes
- ECHA:** European Chemicals Agency
- EEA:** European Economic Area
- EEE:** Electrical and Electronic Equipment
- EU:** European Union
- EUR:** Euro (currency)
- NPV:** Net Present Value
- Pb:** Lead
- PCA:** Printed Circuit Assembly
- PCB:** Printed Circuit Board
- R&D:** Research and Development
- RoHS:** Restriction of Hazardous Substances in Electrical and Electronic Equipment
- SAGA:** Suitable Alternatives Generally Available
- SEA:** Socio-Economic Analysis
- SEAC:** Committee for Socio-Economic Analysis
- SME:** Small and Medium Enterprise
- T&M:** Test & Measurement
- TMC:** Test & Measurement Coalition
- U.S:** United States
- WEEE:** Waste from Electrical and Electronic Equipment

1. SUMMARY OF SOCIO-ECONOMIC ANALYSIS

Purpose and methodology

RoHS stands for Restriction of Hazardous Substances and impacts the entire electronics industry and many electrical products. The principal RoHS, also known as Directive 2002/95/EC,¹ originated in the European Union in 2002 and restricted the use of six harmful chemical substances in electric and electronic equipment (EEE), allowed in the EU market. Test & measurement instruments (current Category 9 - industrial) were initially excluded from the scope of RoHS 1. Moreover, **in 2011, the RoHS 1 was revoked and replaced with Directive 2011/65/EU,² which is known as RoHS-Recast or RoHS 2. It expanded the scope of products covered in RoHS 1 and imposed new obligations on EEE importers and manufacturers by adding Categories 8 (medical devices) and 9 (monitoring and control instruments).** RoHS 2 included a long transitional period for Category 9 industrial products, extending to mid-2017. On 4 June 2015, the European Commission Delegated Directive (EU) 2015/863³ amended Annex II of EU RoHS 2 by adding four additional phthalates onto the original list of six restricted substances. Category 9 – Industrial equipment again required an extended transition period before these additional substance restrictions applied in July 2021.

Industrial test and measurement instruments are very different from low mix, high-volume consumer products which are frequently re-designed to follow consumer trends and are placed on the market for a limited duration. Industrial test & measurement (T&M) are high mix, low volume producers, managing portfolios of thousands of highly complex instruments. Each instrument is intentionally designed for high reliability and serviceability to support long useful lifespans and are made available on the market for at least a decade. In comparison with other categories of equipment in scope of RoHS 2, **Category 9 – Industrial equipment contributes a fraction of one percent of the total annual quantities of RoHS substances.**

In line with the **existing official guidance from ECHA on the preparation of the Socio-Economic Analysis,⁴ this SEA aims to gather technical and economic information to describe ex-ante in both qualitative and (if feasible) quantitative terms the (orders of magnitude of) socio-economic impacts TMC members as well as the relevant EEA supply chain and society are expected to face from the non-renewal of the exemption 6(b) on lead as an alloying element in aluminium containing up to 0,4 % lead by weight, which would otherwise expire on 21 July 2024.**

¹ Directive 2002/95/EC of the European Parliament and of the Council of 27 January 2003 on the restriction of the use of certain hazardous substances in electrical and electronic equipment. Available at: <https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=celex%3A32002L0095>.

² Directive 2011/65/EU of the European Parliament and of the Council of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment (recast) Text with EEA relevance. Available at: <https://eur-lex.europa.eu/legal-content/en/TXT/?uri=CELEX:32011L0065>.

³ <https://eur-lex.europa.eu/legal-content/EN/TXT/PDF/?uri=CELEX:32015L0863&from=EN>.

⁴ The ECHA Guideline for the SEA preparation as a part of Application for Authorization is available at: https://echa.europa.eu/documents/10162/23036412/sea_authorisation_en.pdf/aadf96ec-fbfa-4bc7-9740-a3f6ceb68e6e ; The ECHA layout for an SEA to be used in Application for Authorization is available at: https://echa.europa.eu/documents/10162/13637/sea_format_with_instructions_v4_en.docx/0cbc5102-6ba2-2170-480a-0061d2798f55

It has been performed by EPPA⁵ at the request of Test & Measurement Coalition (TMC), in view of providing regulators with strong evidence-based findings on the expected social and economic impacts that are expected to occur should the use of lead (Pb) be impacted by the non-renewal of the RoHS exemption.

This SEA is based on information and data gathered from the industrial and professional test and measurement equipment manufacturers. A survey has been conducted by providing a detailed questionnaire to gather information and data from actors likely to be affected by a non-renewal of the RoHS exemption in the EU.

TMC manufacturers industrial and professional test and measurement equipment have participated in the survey. The market share covered by this survey represents approximately 70% of the EEA market. The assessment is, therefore, highly representative and can serve as a basis for defining the anticipated socio-economic impacts resulting from the non-renewal of the RoHS exemption.

The TMC manufacturers indicated that the exemption 6(b) (Annex III), pertaining lead (Pb) as an alloying element in aluminium containing up to 0,4 % lead by weight, is widely used across companies' portfolios. The information reported in this SEA are relevant for the industrial applications in the product groups reported in Annex I to this report.

TMC members have been carefully instructed to base their statements and estimations as much closer to real data or perception of future changes as possible, so as to have conservative estimates, always putting the protection of the human health and environment upfront.

This SEA covers the safe use of test and measurement equipment, the technical difficulties associated with their substitution via alternatives, the social and economic impacts at different level of the supply chain, and the EU macroeconomic impacts.

Main findings

It is shown that there are currently no suitable lead-free alternatives that meet RoHS exemption criteria on the EU market for test & measurement industrial type products and that **the re-designing of the test & measurement equipment could take four to six years**. Hence, losing the ability to apply Annex III, exemption 6(b) when considering RoHS conformity for the associated test and measurement industrial products would entail the development of a fairly large number of new alternative compliant materials as well as the increased costs connected to the redesign, retesting, requalification and replacement of the assembly process.

Overall, the **total impact of a non-renewal of this exemption is monetized in the range of 2 billion EUR and 2.8 billion EUR** (conservative estimates in net losses; potential gains for suppliers of other components have been already taken into account), consisting of:

⁵ www.eppa.com

- [CONF.] EUR of economic impacts (EBIT loss) on test and measurement industrial type products' manufacturers;
- [CONF.] EUR of substitution costs for test and measurement industrial type products' manufacturers;
- [CONF.] EUR of social impacts (i.e., unemployment in the EU-27);

2. AIMS AND SCOPE OF THE SEA

2.1 Purpose, scope and methodology of SEA

RoHS stands for Restriction of Hazardous Substances and impacts the entire electronics industry and many electrical products. The exemptions listed in Annexes III and IV must adapt to scientific and technical progress as defined in article 5 of Directive 2011/65/EU.⁶ This application is specifically for the **renewal of the Annex III exemption 6(b), lead (Pb) as an alloying element in aluminium containing up to 0,4 % lead by weight, which would otherwise expire on 21 July 2024.**

This ex-ante Socio-Economic Analysis (SEA) aims to identify and to assess in both qualitative and quantitative terms the socio-economic impacts that are expected to occur should this exemption not be renewed (i.e., the likely impacts in the non-exemption scenario as compared to the baseline business-as-usual scenario).

A survey has been conducted by providing a detailed questionnaire to gather information and data from industrial and professional test and measurement equipment manufacturers likely to be affected by a non-renewal of the RoHS exemption in the EU.

The participating companies have provided socio-economic data in view of extrapolating (based on a large total market share) the impacts for the whole market in a conservative approach, as further detailed below. Based on the weight of RoHS substances used in their products, the market share covered by this survey represents approximately 70% of the EEA market. **The estimates reported in this socio-economic analysis should be considered as a minimum (lower bound) of the expected impacts of a non-renewal of the Annex III exemption 6(b).**

⁶ Directive 2011/65/EU of the European Parliament and of the Council of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment (recast) Text with EEA relevance. Available at: <https://eur-lex.europa.eu/legal-content/en/TXT/?uri=CELEX:32011L0065>.

From a geographical perspective, this analysis focuses on the European Economic Area (EEA) territory, comprising the European Union (EU-27), Iceland, Liechtenstein, and Norway. For this study we have followed “SEAC’s approach to assessing changes in producer surplus”.⁷ As there is no alternative available in general (SAGA)⁸ to lead (Pb), a **4-year time horizon for this assessment** has been considered, starting from the year 2024, (year of the expiry of the current exemption). In other terms, the SEA accounts for the costs and benefits to the EEA society in the event of RoHS substance is not granted the renewal of the RoHS exemption in test and measurement industrial type products.

Future monetary values have been estimated by using the concept of net present value (NPV), adopting a 4% annual discount rate, which is the standard discount rate, adopted by the European Commission and European agencies (e.g., ECHA) in impacts assessments. All monetized values have been adjusted to a base year, assumed to be 2024. Information and data have been aggregated and anonymized. Statements and estimations from the participating companies are as close to real data or perception of future changes as possible.

2.2 Overview of industrial test and measurement instruments and their value chain

General overview

Industrial test and measurement instruments (category 9 – Industrial under the RoHS Directive) are very different from low mix, high-volume consumer products which are frequently re-designed to follow consumer trends and are placed on the market for a limited duration. Industrial test and measurement are high mix, low volume producers, managing portfolios of thousands of highly complex instruments. Each instrument is intentionally designed for high reliability and serviceability to support long useful lifespans, and are made available on the market for at least a decade. These instruments are designed: exclusively for professional and industrial use; to meet high performance requirements in critical applications; and last up to 40 years. Redesign is not frequent and happens every seven years on average (as compared to every 1.5 years or less for consumer products). Once test and measurement instruments are placed onto the market, they are typically accompanied with a long-term customer support arrangement to maintain reliability and calibration.

Product portfolios are widely diversified, with TMC members each having typically 2,000 to 3,000 products currently made available on the market. These are highly complex, sophisticated electronic instruments such as signal generators, power analysers, oscilloscopes, spectrum analysers, digital multi-meters, electron microscopes, chemical and biological analysers, complex chromatography systems and their detectors, each having many necessary options and accessories. Each instrument can have a minimum of 2,000 and up to 40,000 parts; requiring a vast supply chain involving tens of thousands of suppliers and hundreds of thousands of unique components.

⁷https://echa.europa.eu/documents/10162/0/afa_seac_surplus-loss_seac-52_en.pdf/5e24c796-d6fa-d8cc-882c-df887c6cf6be?t=1633422139138

⁸https://echa.europa.eu/documents/10162/13637/ec_note_suitable_alternative_in_general.pdf/5d0f551b-92b5-3157-8fdf-f2507cf071c1


Considering the EU added-value, test and measurement equipment is manufactured and sold in relatively small volumes (per instrument design) and placed on the global market. There is an added value in community level action, which guarantees more coherent and consistent rules across Europe. But with the expansion of RoHS-like requirements beyond the EU, this creates a risk of discrepancies in RoHS-like national laws adopted in third countries.

The professional test and measurement products provide the tools for engineers to develop new solutions and businesses to bring them to market. These instruments are used in Research, Quality Control and Testing laboratories (including field testing) in Universities, Manufacturing and Clinical facilities and by Governmental Agencies for conformance verification and environmental testing. They are essential to the good functioning of electronic communications networks, heavy industrial processes such as steel manufacturing, the testing of vehicles for compliance with emissions standards, and the monitoring of complex and critical systems. The nature of the tests and measurements made by industrial equipment necessitates that the equipment performing those tests are highly complex; with upwards of 40,000 components necessary to produce a single instrument. Even a relatively simple hand-held instrument incorporates significantly more components than a typical consumer product.

Historically, between 25 - 35% of the components used in test & measurement products are custom designed. The features of the TMC manufacturers' equipment necessitate the development and production of unique components that are not commercially made available on the open market and are typically made by sole, boutique suppliers. These components have their own development lifecycle and take years to bring into production. When these suppliers are unable to deliver compliant parts that meet current RoHS regulations, the product would be stopped from being sold into the EU.

Typical supply chain

The typical supply chain for test and measurement industrial type products is as follows:



- Raw materials are globally sourced for component production;
- Components, sub-assemblies and printed circuit boards (PCBs) are manufactured and sourced globally. These are either produced as commercial off-the-shelf (COTS) products or custom made according to in-house Test & Measurement producers' designs and specifications;
- Printed circuit assemblies (PCAs) are produced and tested to Test & Measurement producers' designs and specifications;
- Assemblies are built and tested, either in-house or by contract manufacturers;
- In response to customer orders or for inventory, finished equipment is configured, built, and tested for global distribution;
- Equipment is supplied into the EU market either directly or through distributors to industrial and professional customers (B2B market);
- Spare parts are made available from the supply chain and utilised in the ongoing support (including servicing, calibration, repair, and refurbishment services) typically provided in-house by Test & Measurement producers.

3. ANALYSIS OF ALTERNATIVES

3.1 Function and technical performance of Lead (Pb) and Pb-based industrial type 9 products


Lead as an alloying element in aluminium containing up to 0.4% lead by weight is intrinsic for machining purposes in niche applications. Aluminium alloys (containing lead) are used to make a very wide range of EEE products, parts, and product components. Examples of relevant applications in which such alloys are utilized and of critical components for which there are no alternative lead-free components, that satisfy the required performance characteristics, include:⁹

- Frameworks of lights and lamps
- Heat sinks
- Electrical and electronic housing
- Pinons and gears for chains
- Monitoring and control instruments.

The use of the RoHS restricted substance is extensively utilized in free machining alloys to improve the precision / fit of delicate machined components. Lead improves the cutting performance on aluminium and makes it less likely to crack when forming. This, in turn, creates better mating surfaces thereby providing longer mating reliability and improved structural stability of formed parts critical to the performance and durability of test and measurement instruments.

3.2 Typical Industrial Test and Measurement End-to-End Life Cycle

The market sectors addressed by industrial test and measurement equipment can in some cases require that the instruments can be maintained in use for decades. The end-to-end lifecycle model below helps to illustrate how the members contribute to the circular economy by assuring the materials they consume to produce the equipment are kept in use for as long as possible.



⁹ Study to assess requests for a renewal of nine (-9-) exemptions 6(a), 6(a)-I, 6(b), 6(b)-I, 6(b)-II, 6(c), 7(a), 7(c)-I and 7 (c)-II of Annex III of Directive 2011/65/EU (Pack 22) – Final Report (Amended Version), published in February 2022. Available at: [link](#).

The nature of industrial test and measurement instrument applications demand highly accurate and reproducible results throughout their life. With a typical first use of 10 years and a total life of up to 40 years, great care is taken during the design and qualification phases to ensure that the stringent performance and reliability requirements are met and must incorporate design for serviceability. This provides a continuous supply chain of equipment for refurbishment with extended life through resale providing great economic and environmental benefit. Whilst the instruments are designed for long-term reliability, failures do occur during such an extended period of use requiring ability to service and replace parts. After market withdrawal, equipment is normally supported for a minimum of five years. Moreover, refurbishing and reselling on the secondary market are crucial in this sector and often account for 4–5% of producer turnover for test and measurement manufacturers.

Due to the cost, reliability, and unique applications of T&M equipment, many customers do not dispose of the equipment, but instead keep it for use at a later date or place it on the secondary market. Therefore, Category 9 Industrial equipment's contribution to the Waste Electrical and Electronic Equipment stream is very small (0.2% by weight of EU WEEE) with industrial WEEE being collected through B2B systems. Consequently, the environmental impact of industrial test and measurement products is negligible. Nevertheless, test and measurement equipment does enter the waste stream, typically many decades after it is placed on the EU market.

3.3 Assessment of potential alternatives to lead (Pb)

The applicants recognize that alternatives to lead for all 6(x) type exemptions are in development. As stated elsewhere, the applicants are not component manufacturers and need to rely on component manufacturer supplies of parts for 75%+ of the components in their instruments. The custom-made parts are also largely constructed using component manufacturer parts which require those manufacturers to adapt and tool their processes to use the new technology upstream of the test and measurement instrument manufacturers. Nevertheless, the applicants believe it is likely that component manufacturers will gradually make available workable alternatives to the lead containing parts currently on the market.

As and when such parts become available, they will be designed into new equipment that is developed in a cycle of 7-10 years depending on the type of Category 9 equipment concerned. This process is well-established to avoid reliance upon a specific RoHS exemption to produce compliant equipment. What is needed, however, is for an exemption to be available for equipment that is nearing final design (3-5 years development) and equipment currently marketed. Substitution – whilst feasible – is considerably more onerous and complex in those cases than for new, yet to be designed, equipment or for equipment undergoing a complete redesign. The assessment below therefore focusses on the scenario of equipment in current development for marketing in 2024 (when the exemption expires) and equipment currently placed on the EU market that will not be discontinued prior to 2024 where current design includes lead containing components requiring exemption 6(b) which would need to be designed out and substituted. The time required for this process will indicate the need and length of an exemption for Category 9 Industrial equipment.

3.3.1 Assessment of the technical performance of alternatives vs lead

A single assessment of the performance of the alternatives is not possible because of the ubiquity of the alternative use. Each use must be considered in and of itself to validate if an alternative would work as well as or better than the component made currently using the exemption. One commonality is the component suppliers need to be able to tool the alternative material into qualified components. The applicant believes a technical solution will and possibly is already available, but must be widely implemented for the specific usage, evaluated (technical performance) by the downstream users of the component, and validated (safety, EMC, and application performance), in the final product design.

3.3.2 Challenges with substitution with alternatives

The companies have indicated that there are currently no suitable alternatives that meet the performance expectations of their customers. However, it is foreseeable that such alternatives will be made available in the coming years but the implementation for the different uses will be very gradual and implementation is not likely to be linear.

Members of the Test & Measurement Coalition have pointed out that they principally rely on their component suppliers to find alternatives since most of the exemptions used in those components are not produced by the supplier but are bought off-the-shelf from their suppliers (and so forth, potentially many levels down). Implementation of change necessitated by regulatory pressures typically starts with raw material manufacturers and the end product manufacturers (e.g., Test and Measurement suppliers) who have the largest economic stake. Intermediate manufacturers are geographically and jurisdictionally diverse and are often SMEs. As such, this part of the supply chain are slower and more inconsistently able to adapt. Assuring full adaptation in the supply chain and validating the alternatives in the final product application can and often does require up to 4 years. However, the companies noted the impacts deriving from their suppliers as, depending on the complexity, there can be little to significant time and resources needed to validate alternatives.

The companies reported that the validation period would take a minimum of 6 months and up to a year after the delivery of suitable alternative-containing components per product. It is significant to note that this validation period would only apply if the component were a fit, form, and function drop-in replacement. If any design changes to the exemption-free part of the product would be required to accommodate for the alternative material, additional safety and EMC testing and performance validation period would likely be required for each redesigned product previously reliant on the exemption. The test and measurement equipment manufacturers estimate this to be applicable to 20-25% of components containing the alternative materials. Such redesign activity would add another year to test and implement the alternative material in the bespoke component.

All this validation activity incurs additional expenses. These include labour costs and costs arising from potential product resubmission requirements for testing to various notified bodies to ensure that substitution does not create any electrical and functional safety concerns.

If a new substance-free part is available from a supplier, this part must be qualified for use by the Category 9 manufacturer by performing a variety of additional tasks, as described above. Due to the complexity and diversity of the applications, this must be done individually by each company for each product group. This process diverts resources from other projects and increases the cost to ensure continued availability of these products. This validation and testing process varies according to part complexity; which can be categorised as low, medium, and high:

- **Low complexity** parts are the off-the-shelf components or hardware parts that do not have a substantial performance impact. Replacement can be done based on supplier information, assuming a form/fit/function compliance, with standard manufacturing, testing, and validation processes. Based on process timescales reported by a T&M coalition company, the average time that it can take for these parts to be replaced ranges from **3 to 6 months**.
- **Medium complexity** parts are more complex sub-assembly electronic parts, such as small motors, which need additional validation for their performance. These parts are often commercial assemblies that are generally available to the electronic industry and are utilised by the Test & Measurement coalition companies. Replacement of these assemblies, like-for-like, requires testing and validation prior to integration into the manufacturing process. The average time to find an alternative for medium complexity parts for production is reported to range from **6 to 12 months**.
- **High Complexity** parts are the complex sub-assemblies or parts that have a significant impact on performance of the company's products or play a critical role in overall safety of the products. These parts need to go through extensive validation for performance and/or compliances for varying regulations before the appropriate files can be updated and the proper competent authorities or regulatory bodies can be notified prior to purchase of parts for validation. The average time that it would take to find an alternative for high complexity parts for production is up to 1 year for additional testing. Where the exemption directly impacts the performance of that component (e.g., a centrifuge rotor) the evaluation of the replacement could take from **3 to 5 years**.

What makes substituting exemption 6(b) challenging is the ubiquity of the application of the exemption. The uses are very different and no single substitution approach will satisfy a complete replacement of lead-containing parts using this exemption. The key technical characteristics – such as tooling ability – are not meaningful in the function of the component in the final equipment as such. This can be a precision part of an oscilloscope or a very ordinary rotor part of a cooling fan, substitution is therefore very arduous as replacing one part does not eliminate the need for the exemption. The applicants again underline that they concede alternatives are in development, but this does not change the need for the exemption to be maintained in particular for Category 9 equipment for which substituting single parts involves thousands of different equipment with long development and redesign cycles.

3.3.3 Substitution plan

The substitution plan below presumes a hypothetical situation where, for a particular Category 9 equipment, the substitution of all components using the 6(b) exemption would be planned. Right now,

the applicants are not aware of specific components able to substitute all parts. But, for the sake of argument, the substitution plan presumes that component manufacturers come forward with a technology that would substitute lead in all parts using these exemptions. The substitution plan presumes:

- The component manufacturer has developed an alternative technology that they propose to implement for the components delivered to the Category 9 OEMs;
- For simplicities sake it is presumed that the technology is universally implementable and that component manufacturers will make the new components available for testing in rapid succession (optimistic scenario);
- It is presumed that the alternative technology is available as of 1/1/2023 but has not yet been implemented for all uses of components currently having lead as an alloy;
- As a realistic worst-case scenario, the equipment that is chosen for substitution is in final stages of development for launch in 2024 (i.e., at expiry of the exemptions);
- The application is presumed to be used in 10 discrete components that break down as follows:
 - o 6 low complexity parts;
 - o 3 medium complexity parts;
 - o 1 high complexity part that involves custom or bespoke design by the Category 9 OEM;
- Companies reported that the exemption is used in a range of 34% to 51% of all equipment families marketed by Category 9 OEMs. This means ca. 20,000-30,000 equipment are concerned by the exemption of which 2,000-3,000 are likely to be at the launch stage in 2024.
- For reference, the capacity to reengineer (new product introduction, new generation release, and compliance to legal requirements) of the whole category 9 sector is 300 different pieces of equipment per year.
- As a reminder, Category 9 OEMs have 1 engineer available per device family marketed. These engineers are not easily interchangeable due to the hugely varying types of equipment marketed.


Substitution milestones

The substitution of lead containing components using exemption 6(b) can be managed along the following milestones:

- 1) Component manufacturer & Category 9 OEM collaborate for the development of the discrete components required in the equipment;
 - a. Communication of equipment specification requirements to component manufacturer;
 - b. Alignment on technology with component manufacturer;
 - c. Component manufacturer develops new component without lead;
 - d. Trial deliveries of components commences;
- 2) Testing and viability of component design for specific Category 9 equipment family;
 - a. Testing of single component starts (outside of application in equipment);

- b. Lifetime stability and longevity testing (7x time compression);
- c. Redesign phase for failed components;
- d. Scale up manufacturing by component maker;
- 3) Design in components to Category 9 equipment families;
 - a. Three stages of 500 equipment families (cannot be done concurrently);
 - b. Testing for unexpected equipment interference;
 - c. Lifetime testing in equipment setting;
- 4) Roll out of compliant equipment.

Although the timeline that follows from above may look long, it should be considered that many component manufacturers are not even aware exactly how many of their components use the exemption. This correlates with the Category 9 OEMs who are equally unaware of the full extent of the use of this very common exemption. The amounts of lead are so small and close to the RoHS legal limit of 0.1% that in some cases the component manufacture render it difficult to decide whether the limits are exceeded at homogenous material level.



3.4 Overall conclusion on suitability and availability of alternatives

The conclusion on the suitability and availability of alternatives is that whilst substitution is possible, it will require time. Time that is likely to exceed the redesign cycle of equipment which as of today are already being developed without use of the exemption. There is therefore a continued need for a 7-year additional exemption for Category 9 to allow the phasing out of the older equipment for newly designed ones which are lead-free. At this stage of the availability of alternatives, there is no material gain for the environment in restricting the alternative compared to the huge costs involved in gradual substitution of existing equipment.

4. ANALYSIS OF IMPACTS

4.1 Human health and environmental impacts

Annex II of the Directive 2011/65/EU (RoHS) specifies the restricted substances referred to in Article 4(1) and maximum concentration values tolerated by weight in homogeneous materials. The maximum concentration value for lead (Pb) tolerated by weight in homogeneous materials is 0.1% unless there is an application listed in Annex III or IV available to the product category of EEE.

The surveyed companies stressed that the content of substance in homogeneous material is highly variable: based on literature review, contacts in electrical switching devices typically contain less than 0.4% lead in the homogeneous material. Overall, through application for which the exemption is requested, approximately 1.80 kg of Pb enters the EEA market every year.

Lead is considered to be a reproductive toxin. Given its hazardous properties, lead is on the REACH candidate list of SVHCs.

4.1.1 Reduction in the quantity of lead (Pb) placed on the EEA market

The participating companies have reported that no releases to the environment of lead can be anticipated during neither equipment production nor use phases of the concerned products over the next seven years as a consequence of the revocation of the RoHS exemption. During equipment production, the lead is not exposed because it is internal to the component. At component manufacturers level, exposure and waste is controlled.

Under normal conditions of equipment use, the lead content associated with the application of Exemption 6(b) is encapsulated within the equipment enclosure and will neither be touched nor released to the environment.¹⁰ As this equipment is sold B2B for professional/industrial use only, equipment that finally reaches end-of-life will appropriately be processed by professional recyclers who are obligated to have suitable controls to avoid any environmental releases and are notified of the presence of the substance under the producers' obligation to provide a SCIP notification.

¹⁰ All substance is captured in sealed electrical enclosures and chemically or metallurgically bound in alloys, glasses, or ceramics.

As a result of the participating companies' relatively low consumption of parts, in comparison to the product Categories 1-7 and 10, renewing this exemption for Category 9 will have a minimal impact on the environment. As previously indicated, Category 9 industrial producers are only responsible for 0.2% of annual WEEE production. The number of components relying on this exemption that are specialized for test and measurement applications combined with their collective use provide a strong rationale to keep the specialized components, that rely on this exemption, in production. The manufacturing of specialized components represent a minute fraction of the total exemption usage referenced in this report. The majority of the components that utilize this exemption, that constitute Category 9 industrial usage, are common to all product categories. The component manufacturers therefore rely on volume use of the other categories to justify their continued production. Renewing this exemption only for Category 9, for the full 7 years, will not extend the production life of these higher volume components beyond the exemption renewal period assigned to Categories 1-7 and 10. It will, however, enable the Test & Measurement coalition members to buy sufficient (relatively small) quantities to update the design and continue to use the relevant components for an extended period. As a result, a renewal of this exemption will have a minimal environmental impact and has a positive socio-economic impact by enabling the continued production of Category 9 products critical to the health and welfare of the EU (and global) society whilst the multi-year redesign process is executed.

4.1.2 Additional waste in case of a non-compliant stock

There are no, or minimal, expected additional waste before the end of the regular lifetime (non-compliant stock) reported by the companies. Finished goods inventory is typically minimal as T&M equipment manufacturers' production is based on short-term demand, or even per order. Any non-compliant materials (for the EU market) will be consumed through sale to other non-EEA markets where they are not currently restricted.

Additionally, T&M equipment manufacturers emphasised that exemption 6(b) is utilized in part to improve reliability and longevity of components. A reduced product lifetime would be expected leading to an increase in electronic waste and virgin material use in the replacement in conflict the concepts proposed under the proposed Eco-design for Sustainable Product Regulation¹¹

4.2 Economic impacts

The sections below provide a general overview of the social and economic impacts, considering business impacts on manufacturers of test and measurement equipment, market impacts (i.e., on the product market), substitution costs, and broader macroeconomic consequences resulting from a potential non-renewal of the exemption 6(b).

4.2.1 Business impacts on manufacturers

¹¹ Specific data on the difference between alternatives are not available.

A survey of TMC members was utilized in preparation of this report. **TMC manufacturers of industrial and professional test and measurement equipment have participated to the survey. The data received have been aggregated.** These companies are among the biggest producers in the EEA test and measurement equipment market. The market share covered by this survey is more than 70% of the whole EEA test and measurement equipment market. The assessment is, therefore, highly representative. This market share can be used to obtain reliable estimates for the EEA market via extrapolation, as detailed below for the assessment of the economic impacts.

Products manufactured by these companies are typically made available on the market for a period of 10 years from market launch until discontinuance. A further five to seven years of guaranteed support life follows discontinuance to assure availability of spare parts. The lifetime of any given unit can often be extended through regular maintenance and servicing. Under normal conditions of use and availability of spare parts, products can remain in use by customers for more than 25 years, supported by repair and calibration services.

Due to the very specialized nature of the industrial test and measurement equipment, sales volumes are in many orders of magnitude lower than those of consumer products. Industrial test and measurement equipment are not subject to fast-paced changes in market patterns. The specialized nature reflects in the prices. The prices of these products vary greatly, depending on factors such as cost, size, and complexity.

The T&M Coalition member companies have declared that there more than **[CONF.]** product lines that apply to this exemption would be impacted (cf. Annex I to this report for an overview of the relevant product groups). During 2021, >**[CONF.]** units of these products were placed on the EEA market. These data were taken from a typical sales year and the volumes are considered representative for annual volumes. The income generated through the sale of these products, likely to be affected by a non-renewal of the Annex III exemption 6(b), is estimated at approximately **[CONF.]** EUR/year.

Therefore, the non-renewal of the Annex III exemption 6(b) exemption would have significant impacts on their business and customers. The company reported that due to the specificity of the equipment, there are no known methods to produce compliant equipment (cf. Annex I to this report for details on product groups) meeting the specific performance specifications of production today. Should the exemption not be renewed, this equipment would have to be withdrawn from the EEA market.

Depending on the part complexity, different compliance costs are also to be expected. The companies emphasized that switching to RoHS compliant products without using the exemption would require a disruptive amount of work and investments since it would require them to redesign several thousands of products (>[CONF.] product lines). With limited availability of qualified resources and specialized engineers, a high proportion of custom parts in the test and measurement equipment, extensive evaluation and re-qualification requirements before products can be marketed, it is likely that non-renewal of this exemption will result in significant market disruption to the availability of this critical test and measurement equipment. Lastly increased capacity of qualified test facilities would also be required to verify, in-parallel, a larger than normal range of products – many of which are already taxed beyond capabilities to accommodate unrelated changes to the EU IVDR/MDR and created by Brexit.

Given the fact that new products drive long-term company growth, the time spent sustaining existing products directly impacts the company's growth, resulting in a large opportunity cost. Further, significant testing must be done to ensure that alterations will not affect the safety, quality and performance of the final product since T&M devices are particularly sensitive to component, material, and manufacturing changes. Therefore, **considering the number of products affected by this restriction, the expected investment to comply with the restriction would be more than [CONF.] EUR.** Additional costs due to loss of efficiencies and additional R&D spending at companies' suppliers are also to be expected.

Given the variety of applications these components enable and how widely they are utilized, the re-qualification and re-certification process will differ greatly from one sector to another. Companies will at the very least need to transition a low impact part by producing new parts, updating all affected bills of materials, managing the inventory transition from old to new in the affected product lines, and training all staff on the revised construction so the legacy components are no longer used.

As a consequence of these technical and practical challenges, the TMC manufacturers anticipate loss of business in the EEA. The direct cost of a non-renewal of the exemption is represented by the loss of the contribution to the EEA economy of the EBIT generated by T&M manufacturers which are using components using aluminium alloyed with lead within their instruments. The relevant economic measure to quantify this economic impact is given by EBIT. The monetization (net present value, NPV, with 4% discount rate) of this economic impact (lost EBIT) is reported below.

Therefore, if Annex III, exemption 6(b) would not be renewed,¹² it is estimated that the T&M manufacturers would face a net EBIT loss of approximately [CONF.] EUR/year. **Over four years, the total impact is expected to be approximately [CONF.] (NPV, 4% d.r.)¹³** for the TMC member companies (manufacturers of test and measurement instruments).

¹² Company was asked to consider how the revenues (and EBIT) for year 2022 were impacted under the assumption that a RoHS restriction on lead in test and measurement industrial products types were to be fully adopted with immediate effect (i.e., in 2023).

¹³ Using the Excel function =PV(4%,4,-[CONF.],0,0).

We can use the market share of the test and measurement equipment manufactured by the participating companies to extrapolate **the total economic impact in the EEA across all manufacturers**. The market share covered by this survey represents more than 70% of the whole EEA test and measurement equipment market. This market share is used for the extrapolation of the impacts for the whole EEA market in a conservative approach. **The total impact for the EEA market (manufacturers of test and measurement equipment) would therefore be in the range of [CONF.] EUR (derived above) and [CONF.] EUR ([CONF.] EUR x 1/0.70).**

Other companies may benefit from a negative regulatory outcome for lead used in alloying aluminum, especially, competitors based outside the EEA. Because the RoHS restrictions would affect equally the whole EEA T&M industry, the corresponding loss in value added (i.e., loss in EBIT) can be considered an EEA industry-wide impact.

It must be noted that what occurs in Europe also has repercussions on other markets, such as the Asian market. This is because the CE mark is used by T&M equipment manufacturer as evidence that their products are suitable for the EU and therefore are considered of acceptable quality in a non-EEA location. Consequently, the economic consequences of a non-renewal for Annex III, exemption 6(b) would result in much larger impacts for the industry than those reported above.

Given the specificity and complexity of industrial test and measurement instruments, it is extremely challenging for the test and measurement sector to adapt to frequent changes of the lead restriction in scope. The main challenge that has been raised by the company is the fact that deadlines provided by authorities are considered too tight for business adaptability and to develop alternative products. The existing maximum renewal duration of up to 7 years is considerably shorter than product development lifecycles. This renewal request is therefore made to cover the full seven-year maximum duration.

Substitution costs for test and measurement equipment manufacturers

Most of the components utilizing exemption 6(b) incorporated into T&M equipment are COTS parts. Consequently, T&M manufacturers are heavily reliant on their suppliers to identify alternatives.

For the other parts, it is estimated that between at least four years are needed to evaluate the suitability of potential alternatives given the wide variety of uses. Overall, it is anticipated that four to six years are needed for re-designing (i.e., implementing the substitution, or concentration reduction) in a full product.¹⁴ This timeline applies only if a substitution candidate can be identified. Moreover, this is highly dependent on the complexity of change and impact on the final product.

¹⁴ Average of the estimated timelines provided by TMC manufacturers.

As the companies do not manufacture the majority of parts incorporated into test and measurement equipment and purchase the most parts from the respective suppliers, **implementing a re-designing requires longer timelines to convert the entire portfolio and significant cost increases**. The change would involve researching an alternate component, assembling it into a test product, and evaluating the new product for functionality, hardware and software performance, reliability, EMC, safety, manufacturability etc.

As mentioned previously, most products use various components throughout the product and various exemptions. It is common that a single component may use several exemptions. Exemption 6(b) would be especially burdensome (if feasible) since it is used in complex PCBA components. Changing out these components may require complex board re-design and a full suite of product validation substantially increasing the cost of implementation, especially as there may be software implications.

Therefore, **the T&M Coalition member companies have indicated that the implementation of substitution or concentration reduction of lead would cost approximately [CONF.] EUR (rounded),¹⁵** including validation and testing, engineering, quality and administrative costs. This also includes the incremental investment necessary to characterize potential substitutes, and where practicable, tailor production processes to assure existing product's published specifications can be maintained.

In reality, the switching costs are likely to be much larger than the estimate above. By making use of the market share of about 70% covered in this SEA, we can extrapolate a **total switching cost of [CONF.] EUR (= [CONF.] EUR * 1/70%)** for all manufacturers of test and measurement equipment industrial products.

4.3 Wider economic impacts

Impacts on the market – Quality and costs

If **Annex III, exemption 6(b)** would no longer be available for use in test and measurement equipment, sectors relying on these products would be particularly affected. Manufacturers of chips and electric and electrical equipment may experience a decreased availability for test and measurement industrial equipment.

For the majority of the products that utilize the exemption 6(b), it is likely not feasible to remove the exempt components without risk to product quality, reliability, or performance or an increase in cost. Further complicating the technical and practical challenges to implementing replacement is the fact that most of the application products utilize other parts with various exemptions.

¹⁵ ECB exchange rate on 11 October 2022 (1 EUR = 0.9723). Available at: https://www.ecb.europa.eu/stats/policy_and_exchange_rates/euro_reference_exchange_rates/html/eurofxref-graph-usd.en.html.

For those products that are possible to convert, they would be prioritized by EEA revenue as it likely would not be worth the investment to re-design all products to be free of the exemption. Even if there were suitable alternatives on the market today, it is expected to take several years or more to convert the entire companies' portfolio. This would likely result in withdrawal of products from the market until products are converted. On the other hand, low revenue products that require significant re-design, or those products that are within a few years of obsolescence, are likely to be withdrawn from the EEA market.

The impact of reduced volumes manufactured will also have a **significant impact on the fixed costs of various supply chain actors**. Participating companies would also be strained by increased costs associated with addressing new product development and resourcing components for manufacturing. As a result, prices of final products would increase accordingly.

It is also important to consider the wider macroeconomic impacts and consequences on the EU society at large, by focusing on the expected consequences for the EEA market. In particular, there are concerns on the overall EU trade balance (increase of imported test and measurement industrial product types) and on the competitiveness of EEA market.

Impacts on suppliers

The participating companies maintain a large supply chain: a vast amount of actors supply components, materials, and perform contract manufacturing operations. This supply chain is global and not limited to businesses located in the EEA. There are a number of actors in the production of the impacted equipment produced by the TMC manufacturers: component and sub-assembly suppliers, contract manufacturers for printed circuit assembly production, and contract manufacturers for selected products' assembly. Most of these suppliers leverage RoHS exemptions in their supply chain, especially for electrical components.

If **Annex III, exemption 6(b)** would not be renewed, **there would be a decrease in demand for the services of each actor in the supply chain**. These suppliers are at a risk of losing these sales and the need to develop new technologies to replace their existing products. Depending on the speed of R&D, they could permanently lose sales if a competitor brings a replacement to market faster.

The greatest direct impact would be on the component and subassembly contract manufacturers whose core business is to provide such items to the electronics market. Reduced product volumes from equipment producers would also affect profitability (reduced volumes vs. fixed costs) of contract manufacturers. **The supply chains of the participating companies would require a lengthy transition period in case of non-renewal** as they would need to resource alternative materials, validate the production of components with new materials, and build the critical sub-components that are used to assemble and manufacture equipment on behalf of the TMC manufacturers.

Impacts on the market – Competitiveness

As the RoHS regulation applies to all producers equally when placing equipment on the EEA market and since the majority of the production is based outside of the EEA (mainly in the US), **a non-renewal of the Annex III, exemption 6(b) for test and measurement industrial product types in the EEA would disadvantage the EEA markets in their competition with the rest of the world.**

Indeed, as other regions have RoHS-equal regulations which are not market restricting but rather mainly notification based, if the exemption 6(b) is removed, the risk is that test and measurement equipment manufacturers will be forced to look at other growth areas, such as, for example, the Asia-Pacific region. T&M equipment manufacturers' supply chain is global and not limited to businesses located in the EEA. Their portfolio is highly specialized and so equipment is built for global distribution. Therefore, manufacturers cannot afford to regionalise the production. **The manufacturing of a specific variant of a product for distribution only within the EEA is not an economically viable option.** This would negatively impact the competitiveness of EEA market players compared to those that have access to a wider portfolio of test and measurement instruments in other areas of the world.

Furthermore, non-EEA competitors would not be subject to restriction and would be able to supply and place on the international market a wider range of products, without bearing any redesign costs. Thus, non-EEA competitors are likely to gain market share if the restrictions are applied in the EEA market. In particular, the Asia-Pacific region could greatly benefit in terms of possibility of increasing their market share by taking advantage of the opportunity of additional production.

On the one hand, expiring exemptions, particularly relating to the use of lead (Pb), will prevent the rest of the world from doing business with EEA. **This gap in availability of products to the EEA will again impact the ability of many to perform the necessary functions to compete with non-EEA markets.**

Impacts on the market – Innovation and R&D

The revocation of Annex III, exemption 6(b) is expected to have wider impacts on innovation in Europe. One of the major uses of the Category 9 products is in essential research and development processes, both within private companies and for state sponsored research. The limited access to test and measurement equipment in the EEA will constrict investment in both innovation and commercialization of new technologies in a wide variety of sectors, from life science to chemical and from engineering to material science. The limited access to test and measurement equipment in the EEA will be the main driver for investment in both the development and production of all electronic equipment to other non-EEA regions. This will have a market impact on the innovation and the know-how in the EEA. The removal of products from the market due to the non-renewal of exemption 6(b), will therefore have a **direct negative impact on the research and innovation output within the EEA.**

A possible non-renewal will, as noted before, influence the EEA market's competitiveness and significantly affect the sales of the companies. The significant reduction in sales as a result of a possible non-renewal of **Annex III, exemption 6(b)** will have an inevitable negative impact on R&D investments. Therefore, based on the assumption that the percentage of revenue spent remains the same, the loss of sales to the EEA market will result in a decrease in R&D spending. Moreover, the manufacturers have further noted that the current geopolitical situation, supply chain disruptions and the inflated cost of materials have already resulted in a cut in R&D investments. The non-renewal of the exemption would exacerbate the lack of and decrease in R&D funding.

The current R&D efforts and resource would inevitably be redirected towards redesigning legacy products to accommodate alternate component and will only exacerbate the lack of and decrease in funding R&D for additional T&M equipment products. Non-renewal of Annex III, exemption 6(b) would **adversely affect the resources available for new product design and innovation, as the limited R&D resources available would be spent on responding to a non-renewal instead.**

It is anticipated that chip producers would be particularly impacted due to the non-availability of test equipment exclusively needed for these sectors. The electronics industry has increasingly emphasized the importance of increasing investment and lowering supply chain dependence on manufacturing in other regions (i.e., the recently proposed EU Chips Act). Within this context, **a non-renewal of Annex III, exemption 6(b) would be a significant step back for innovation in the semiconductor industry.**

Impacts on the market – Trade

When assessing this aspect, it is important to consider the trade balance of the EU. **A non-renewal of this exemption in the EEA would disadvantage European companies in their trade with the rest of the world.**

A non-renewal of **Annex III, exemption 6(b)** would effectively prohibit the electrical components and microelectronics industry from doing business in the EEA. It would also have a significant impact on EU-based businesses that also rely on lead-based materials to make precision micro machining technically feasible. A non-renewal will hamper the EU's relative importance as an exporter and trading partner for the goods and industries mentioned above.

The exports from the EEA would be particularly hard hit by a potential restriction (non-renewal of the exemption). As a result, the **overall EU trade balance would be adversely impacted.**

4.4 Social impacts: unemployment

The restriction of lead will not have a direct impact on the headcount of the manufacturer companies. The headcount is dynamically changing based on different factors, including customer relationships, opportunities and market dynamics.

In general, it is difficult to estimate the unemployment because this depends on whether the end user market can be addressed in the future with products that do not rely on **Annex III, exemption 6(b)** and if that transition is capable of retaining the same precise product specifications and reliability performance.

However, the TMC manufacturers declared that a non-renewal would very likely lead to unemployment within the companies. With the loss of business, action would be deemed necessary to reduce workforce, especially high-skilled (e.g., scientists, engineers, microbiologists, and quality experts). It is estimated that, assuming a RoHS restriction is implemented, approximately **[CONF.]** highly skilled workers in the companies participating in the survey will face layoff in the EEA. Here we report the monetization of the likely social costs of unemployment for these workers.

The average annual salary across these European (high-skilled) workers (including the employer's social security contributions) is approximately **[CONF.]** EUR.

A well-known guideline in monetizing the social impact of unemployment has been developed by the European Chemicals Agency (ECHA) for evaluating such impact in different regulatory processes.

Estimates have been made in accordance with the ECHA document on the evaluation of unemployment (SEAC/32/2016/04)¹⁶ and the paper of Dubourg (2016)¹⁷ endorsed by ECHA. Therefore:

- Using Table A7 (column G, considering the gross wages including the employer's social security contributions) in Dubourg's paper, the total social cost of unemployment in EU is equal to 2.16 times the annual gross salary.¹⁸
- Table 1 presents the statistics from Eurostat (data for 2021-Q3) on the average duration of unemployment for both men and women in the age of 15-64 years in EU-27.¹⁹
- Only 75% of the average duration of employment is considered, to reflect the fact that some affected workers are highly skilled and could find employment sooner.

Table 1:

Duration Grouping	Thousand units	Proportion (A)	Assumed duration (B)	Weighted average (A*B)
Less than 1 month	1328.5	0.096128799	0.5	0.048064399
From 1 to 2 months	2585.5	0.187083936	1.5	0.280625904

¹⁶ECHA (2016). The Social Cost of Unemployment. Available at: https://echa.europa.eu/documents/10162/13555/seac_unemployment_evaluation_en.pdf/af3a487e-65e5-49bb-84a3-2c1bcbc35d25

¹⁷ Richard Dubourg, 2016. Valuing the Social Costs of Job Losses in Applications for Authorization. The Economics Interface Limited.

¹⁸ This value is greater than one (1) because it takes into account the following components: lost wage, costs of job searching, recruitment costs, the impact of unemployment status on future wages (scarring effect) and employment possibilities, and leisure time (which is a benefit and therefore subtracted from the previous components).

¹⁹ Data extracted from http://appsso.eurostat.ec.europa.eu/nui/show.do?wai=true&dataset=lfsg_ugad

From 3 to 5 months	2175.0	0.157380608	4.5	0.708212735
From 6 to 11 months	1953.3	0.14133864	8.5	1.201378437
From 12 to 17 months	1637.8	0.118509407	14.5	1.718386397
From 18 to 23 months	640.3	0.046331404	20.5	0.949793777
From 24 to 47 months	1651.0	0.119464544	35.5	4.240991317
48 months or over	1848.6	0.133762663	48	6.420607815
Total	13820.0	1		15.56806078

The social costs of unemployment would therefore be equal to:

[CONF.] EUR x [CONF.] people x 2.16 x 14.826475584/12 x 75% = [CONF.] EUR.

Although companies along the supply chain would face a reduction in sales over the years, we assume for simplicity that the entire workforce will continue working for other three years. Therefore, we discount the monetized impact derived above by three years due to the assumed delay in the layoff, using discount rate of 4% per year, as follows: [CONF.] EUR x $(1 + 0.04)^{-3}$ = [CONF.] EUR (rounded).

We can use the market share to extrapolate the total social impact of the unemployment in the EEA across all T&M manufacturers: [CONF.] EUR x 1/0.70 = [CONF.] EUR (rounded).

We can affirm with a high likelihood that the total social impact of a restriction of lead as an alloying element in aluminium containing up to 0,4 % lead by weight *along the whole supply chain* would be much larger than [CONF.] EUR, once all other economic operators having business linked to test and measurement industrial equipment products are considered.

Other (low-skilled) workers would be impacted, even though the TMC manufacturers are not in a position today to quantify the unemployment effect.

Moreover, as a progressive result and due to the expected reduction in sales, job creation is also expected to be negatively affected. Manufacturers anticipated that eventually they would inevitably reduce new recruitment.

5. CONCLUSION

This SEA identifies the main potential negative consequences that the EU society at large would face in the framework of the potential non-renewal of **Annex III, exemption 6(b) lead as an alloying element in aluminium containing up to 0,4 % lead by weight**. It has been performed in line with existing ECHA guidance for the preparation of the Socio-Economic Analysis. The results are based on a survey focused on the EU test and measurement equipment industry, with market share coverage of approximately 70% of the EU market. It therefore provided sufficiently reliable data for a representative extrapolation of the EU market.

Overall, the results of the SEA demonstrate the safe use of lead as an alloying element in aluminium containing up to 0,4 % lead by weight and can reasonably justify the renewal of this exemption, on the grounds that a broad restriction would have disproportionate negative impacts on society when compared with the risk to human health, animal health or the environment.

The total monetized impact of a non-renewal is estimated in the range of 2 billion EUR and 2.8 billion EUR, including: [CONF.] EUR of economic impact for test and measurement industrial product types manufacturers (EBIT losses); [CONF.] EUR of substitution costs; [CONF.] EUR of social impact deriving from unemployment. This is a conservative estimate (lower bound), on the understanding this is not the sole injury likely to be suffered in the EU.

In terms of **business and market impacts**, a non-renewal would constraint most of the companies currently supplying RoHS-based test and measurement industrial products to cease production and business activities of all products that include lead.

In addition, and pursuant to Article 5 of the RoHS Directive a continuation of exemption 6(b) Annex III is warranted as **the substitution of the RoHS restricted substance will require time**. This time period is likely to exceed the redesign cycle of equipment which as of today are already being developed without the use of the exemption.

ANNEX I

Product groupings and equipment types relevant to exemption 6(b)

Product Grouping	Equipment Types
Test and measurement upgrades and accessories	
Oscilloscopes, Analyzers & Meters	Oscilloscopes
	Spectrum Analyzers (Signal Analyzers)
	Network Analyzers
	Logic Analyzers
	Protocol Analyzers and Exercisers
	Bit Error Ratio Testers
	Noise Figure Analyzers and Noise Sources
	High-Speed Digitizers and Multichannel DAQ Solutions
	AC Power Analyzers
	DC Power Analyzers
	Materials Test Equipment
	Device Current Waveform Analyzers
	Parameter and Device Analyzers, Curve Tracers
	Digital Multimeters
	Phase Noise Measurement
	Power Meters and Power Sensors
	Counters
LCR Meters and Impedance Measurement Products	
Picoammeters & Electrometers	
Generators, Sources and Power	Signal Generators (Signal Sources)
	Waveform and Function Generators
	Arbitrary Waveform Generators
	Pulse Generator Products
	HEV/EV/Grid Emulators and Test Systems
	DC Power Supplies
	Source Measure Units
	DC Electronic Load
	AC Power Sources
Wireless	Wireless Network Emulators
	Channel Emulation Solutions
	Nemo Wireless Network Solutions
	5G OTA Chambers
	Wireless Analyzers
	IoT Regulatory Compliance Solutions
Modular Instruments	PXI Products
	AXIe Products
	Data Acquisition – DAQ
	USB Products
	VXI Products

Product Grouping	Equipment Types
	Reference Solutions
Application-Specific Test Systems And Components	
Photonic Test & Measurement Products	
Laser Interferometers and Calibration Systems	
In-circuit Test Systems	
Used Equipment	
Probe	
Semiconductor Characterization System	
Bioprocessing Equipment Automation	Large Chambers
	Mixers for Processing Drug Intermediaries
Laboratory Products	Autoclave Sterilizers
	Baths and Circulators
	Biological Safety Cabinets
	Blood Culturing Devices
	Centrifuges
	Chillers
	Electrophoresis
	Environmental Chambers
	Freeze Dryers
	Furnaces
	Heat Controllers/Exchangers
	Ovens
	Refrigerators
	Freezers
	Mixers
Water Purification	
Chemical Analysis	Handheld XRF Analyzers
	Dosemetry Personnel Contamination Monitors
	(Laser) Spectroscopy
Material and structural analysis	Electronmicroscopes
Clinical Diagnostics	Therapeutic drug monitoring
	Quality control
	Sepsis diagnosis
	Prenatal screening
Genetic Sciences	Gold Standard Products for COVID-19
	PCR Testing Modules
Other	Liquid Chromatography
	Gas Chromatography
	Mass Spectrometry
	Molecular Spectroscopy
	Smart Docking Solutions
	Cell Analysis
	Vacuum Products



EPPA SA/NV

Place du Luxembourg 2
1050 Brussels, Belgium
+32 2 735 82 30
www.eppa.com
economics@eppa.com